

FIG. 1A




FIG. 1B




FIG. 1C




FIG. 1D




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7A




FIG. 7B




FIG. 7C








FIG. 8A



DRYING OR BAKING

FIG. 8B



BAKING UNDER
ATMOSPHERE
CONTAINING
OXYGEN OR OXYGEN
PLASMA TREATMENT

FIG. 8C




FIG. 9A




FIG. 9B




FIG. 9C




FIG. 10




FIG. 11A




FIG. 11B




FIG. 12A

12/16




FIG. 12B




FIG. 12C




FIG. 12D




FIG. 13A




FIG. 13B




FIG. 13C




FIG. 14




FIG. 15A




FIG. 15B





FIG. 15C



[EXPLANATION OF REFERENCES]

100: Substrate, 102: Gate electrode layer, 103: Gate insulating film, 104: Semiconductor film, 105: N-type semiconductor film, 108: Source electrode, 109: Drain electrode, 112: Source region, 113: Drain region, 115: Insulating film, 118: Island-like semiconductor region, 119: Channel region, 123: Source wiring, 126: Pixel electrode, 132: Titanium oxide film, 134: Insulating film, 140: Insulator, 141: Bank, 142: Organic compound layer, 143: Electron injecting electrode, 144: Passivation film, 145: Opposing substrate, 146: Light-emitting element, 151: Planarization film, 152: Drain wiring, 153: Orientation film, 154: Liquid crystal layer, 155: Opposing substrate, 156: Transparent conductive film, 157: Orientation film, 158: Column-like spacer, 159: Sealant, 160: Column-like conductor, 161: Pillar insulator, 162: Liquid-shedding material, 163: Mask, 171: Wiring, 172: Conductor, 173: Conductor, 500: Glass substrate, 501: Nozzle, 502: Nano paste, 503: Conductor containing metal chains, 504: Film formed by organic ingredients, 626: Terminal electrode, 627: Anisotropic conductive film, 628: FPC, 652: Terminal portion, 654: Pixel TFT, 800: Circuit design tool, 801: Data of thin film pattern, 802: Computer, 805: Imaging means, 806: Image processing device, 807: Position information of alignment marker, 808: Controller, 816: XYθ stage, 817: Alignment marker, 819: Database, 2001: Housing, 2002: Display module, 2003: Main-screen, 2004: Modem, 2005: Receiver, 2006: Wireless remote control, 2007: Display portion, 2008: Sub-screen, 3001: Display panel, 3002: Operation panel, 3003: Connecting portion, 3004: Display portion, 3005: Voice output portion, 3006: Operation key, 3007: Power source switch, 3008: Voice input portion, 3009: Antenna, 3101: Main body, 3102: Display portion, 3103: Display portion, 3104: Memory medium, 3105: Operation switch, 3106: Antenna